

Brilliant 21



21.5" Full HD TFT Fanless Multi-Touch Panel PC with Intel® Celeron® J1900 Quad-Core Processor

Features

- Projected capacitive supports multiple touches
- Supports IP65 at front panel
- Sunlight readable TFT LCD (optional)
- Optional for panel and touch enhancement for industrial applications
- Supports VESA arm/desktop/stand/wall mount/panel mount

EOL Notice

System	
CPU	Intel® Atom 4-core J1900
Graphic	Intel® Gen7 Intel Graphics DX 11*, OGL3.2
Chipset	SoC integrated
System Memory	2 x 204 pin DDR3L 1333 max. up to 8GB
Watchdog	255 levels, 0~255 sec.
HDD/ SSD	1 x 2.5" SATA HDD supported 1x mSATA (shared with mini PCIe slot)
I/O	
Display	1 x HDMI ,1 x VGA
Audio	1 x Audio (Mic-in) 1 x Audio(Speaker-out)
USB	4 x USB 2.0 2 x USB 3.0
Serial	1 x RS-232/422/485 4 x RS-232
Ethernet	1 x 10/100/1000Mbps Ethernet
Expansion	
PCIe	1 x Full-size PCI Express Mini card (either MiniCard or mSATA, and by Jump setting) 1 x Half-size PCI Express Mini card (for optional Wireless module)
Environment & Mechanical	
Power Supply	DC version : 9~19 VDC
Temperature Operation	0°C - +50°C (32°F -122°F)
Humidity Operation	10%-95%
Weight (net/gross)	9.8kg / 11.2kg

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E., Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

EFCO
EverFine Group

Note : All product specifications are subject to change without notice

Ver0.1

Brilliant 21

Dimension(W x D x H)	528 x 319 x 70 mm (20.39" x 12.56" x 2.76")
Packing Dimension(W x D x H)	635 x 420 x 198 mm (25" x 16.53" x 7.80")
Certification & Optional OS Installation	
OS	Microsoft® Windows® 8.1 Microsoft® Windows® 7
Certification	CE
LCD	
LCD Size	21.5"
Resolution	1920 x 1080 (16:9 wide)
Contrast	1000
Pixel Pitch	248 x 248 (um)
Viewing Angle (H/V)	170 x 160
Response Time	5ms
Color	16.7M
Brightness	250 (cd /m ²)

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

Ver0.1

Brilliant 21

EMEA

Italy

CJB Computer Job s.r.l.



Email: info@cjb.it

Netherlands

Batenburg Adelco Electronics



batenburg
techniek

Email: info.adelco@batenburg.nl

Poland

ElectronicsMASTERS Sp. z o.o.



masters
creative technology

masters.com.pl

Email: masters@masters.com.pl

APAC

Japan

PALTEK



SOLUTION SUPPLIER
PALTEK

Email: info_pal@paltek.co.jp

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com

EFCO
EverFine Group

Note : All product specifications are subject to change without notice

Ver0.1

Brilliant 21

Malaysia

Axmatic



Email: Enquiry@axmatic.com

Model	Description
TPC-5220	21.5" Full HD TFT fanless multi-touch panel computer with Intel® Celeron® 4-core Processor J1900
TPC-5220-4500H-RX0	21.5" Full HD TFT fanless multi-touch panel computer with Intel® Celeron 4-core Processor J1900, 4GB DRAM & 500G 2.5" SATA HDD

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

Ver0.1

A Punchy Headline



SmartMOD
U6-500/UP6-500 Series

A Small Subtitle

Choose a vibrant image and write an inspiring paragraph about it. It does not have to be long, but it should reinforce your image.

[Contact us »](#)

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com