

EGL8350



Features

- Support 3 x Full HD Displays
- AMD R Series Dual or Quad Core up to 3.4GHz
- Integrated AMD Radeon™ Series
- 2 x DDR4 SO-DIMM, up to 16GB
- 1 x SATA with Pin 7 VCC + Smartbay®
- 3 x DP
- JAMMA 72 Pin
- Long Lifetime Support to 2626

System

CPU	AMD RX-216GD Dual Core, 3.0GHz, L2 cache = 1MB AMD RX-421BD Quad Core, 3.4GHz, L2 cache = 1MB
Storage	2 x SATAII standard SATA connector with pin7 power 1 x SATA bay (15P + 7P) on bottom side
System Memory	2 x DDR4 SODIMM up to 16GB
Graphic (GPU)	AMD RX-216GD: R5 AMD RX-421BD: R7

I/O

Display	3 x DisplayPort
Audio	1 x 5.1 channel to 3.5mm audio jacks 8W 8 Ohm Class D stereo amplifier speaker output on golden finger
USB	2 x USB 3.0 Port 2 x USB 2.0 Port
Ethernet	2 x RJ45
GPIO	Jamma 72 pins
Power	1 x DC in (+12V, 5A)
Serial Port	4 x DB9 connector

Environment & Mechanical

Power Supply	DC +12V, 5A
Temperature Operation	0 ~ 60°C
Dimension(W x D x H)	306mm x 206.45mm x 72mm

Certification & Optional OS Installation

OS Support	Windows Win 7(E) 32/64bit Windows Win 10(E) 32/64bit Linux 4.10.0+
------------	--------------------------------------------------------------------------

Gaming Premium Control

Backup Battery	1 x rechargeable Ni-MH Battery
----------------	--------------------------------

Headquarter

10F-3, No.270, Sec.4,
Chung Hsiao E.Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL8350

Auxiliary Gaming Controller	YES
Secure RTC	YES
Security	Infineon TPM

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice

EGL8350

Model	Description
EGL8350-2	<ul style="list-style-type: none">• AMD RX-216GD Dual Core, 3.0GHz, L2 cache = 1MB• 2 x DDR4 SODIMM up to 16GB• 1 x SATA with Pin 7 VCC + Smartbay®
EGL8350-4	<ul style="list-style-type: none">• AMD RX-421BD Quad Core, 3.4GHz, L2 cache = 1MB• 2 x DDR4 SODIMM up to 16GB• 1 x SATA with Pin 7 VCC + Smartbay®

Headquarter

10F-3, No. 270, Sec. 4,
Chung Hsiao E. Rd.,
Taipei, 10694, Taiwan

T +886 2 2751-7192
E-mail: info@efco.com.tw

EMEA

T +49-991-2009298-0
E-mail: info@efcotec.com

America

T +1-760-827-8600
E-mail: sales-us@efcotec.com



Note : All product specifications are subject to change without notice